



OILMAN[®]

L U B R I C A N T S

Advance Technology



PRODUCT CATALOGUE

Lubricants and Greases





Oilman Lubricant and automotive was founded in 2008 as Quality Lubricating Oil Trader. We are in Lubricating Oil business since 2006. After gathering strength through experience during this period. We decided to meet the demand of lubricants market by establishing our Own Manufacturing Unit and Blending Plant in 2010, as the emerging quality lubricants oil manufacturer in surat-Gujarat-India.


For us the Quality and Customer Satisfaction always comes first place. So that we always purchase Base Oil and other required chemicals from the trusted and quality manufactures. We always follow various Quality Standards in our different range of products. We believe in building healthy business relation with our precious customers.

About:

Oilman Lubricant and automotive is a 100% Indian owned company operating in India for over 14 years as supplier of high quality lubrications oils & grease for industrial & automotive use. All our products meets and in most cases exceed the specification set by motor manufacturers companies around the world. Our products are independently blended & manufactured under strictest specification for today.

Oilman Lubricant and automotive is also a ISO 9001-2008 certified company in cooperated with a clean vision to develop manufacture and to market the lubricants A basket full of products with the latest chemical technology are developed at well equipped modern manufacturing & testing facility at surat , India. Company has highly equipped plant with capacity to blend lubes and additives. Company also has state of art & R&D back up with desired facilities to maintain quality specifications. The entire process at Pre & Post Production is supervised by the expertise staff. Company's experienced technocrat staff is exploring new ideas to meet the market demands

OUR CERTIFICATION



Four stroke engine oil



BRUST 4T

Burst 4t It is formulated from high quality of Base oils doped with additives which provides high level of oxidation & thermal stability. It protects the engine from high temperature wear & also from rust & corrosion.

Pack size:-900ml,1, 20, 50, 210 ltr



SWIFT 4T

Swift 4T zoom is a premium performance four stroke motorcycle oil, non-friction modified, shear-stable, multigrade oil provides excellent oxidation and wear protection for extended oil & engine life as well as longer Clutch life by preventing clutch slippage at start up and varying speed.

Pack size:-900ml,1, 20,50,210 ltr



FASTER 4T

Faster 4t is a Semi synthetic blend 4 stroke motor cycle oil ensuring sustainable high performance. These oils are formulated for excellent wear protection, resist viscosity and thermal breakdown. It has high VI that provides engines with full protection at higher operating speed, temperatures and other adverse conditions.

Pack size:-900ml,1, 20,50,210 ltr



RAPID

RAPID-4T 10W-40 is a blend of Mineral and Synthetic base Stock and blend of selective performance additives, which protects Engine, Transmission and wet clutch of new generation 4-Stroke two wheelers, Rapid-4T Exceeds API SN performance level and the stringent specifications of JSAO MA2 for 4-Stroke two wheelers.

Pack size:-900ml,1, 20, 50, 210 ltr



SPEED UP 4T

Speed up 4t is a semisynthetic blend 4 stroke motor cycle oil ensuring sustainable high performance. This oil is formulated for excellent wear protection, resisting viscosity and thermal breakdown. It has high viscosity index that provided engines with full protection at higher operating speed temperatures and other adverse conditions.

Pack size:-800ml



SPIROL - X

SPIROL-X 10W-30 is a blend of Mineral and Synthetic base Stock and blend of selective performance additives, which protects Engine, Transmission and wet clutch of new generation 4-Stroke two wheelers. SPIROL-X 4T Exceeds API SN performance level and the stringent specifications of JSAO MA2 for 4-Stroke two wheelers.

Pack size:-900ml,1, 20, 50, 210 ltr

FULLY SYNTHETIC CAR ENGINE OIL



GOLD TECH

Gold tech synthetic 0w40 is a new generation semi synthetic Blend gasoline engine oil blended with the most advanced additive package to enable it to give exceptional performance under most severe operating conditions. The oil provides not only good cold starting and high resistance to sludge, low volatility characteristics but also it provides effective protection against oxidation, wear and corrosion under high temperature operations

Pack size:- 3.5, 5, 20, 50, 210 ltr



FLASH

Full synthetic 5W-40 motor oil is formulated to flow like 5 Weight oil from a cold start in winter temperatures and like 40 Weight oil once the engine has reached its normal operating temperature is an advanced full synthetic 5W-40 motor oil. It's our strongest oil and liquid engineered to withstand the high pressure and high temperatures of modern gas and turbo diesel engines.

Pack size:- 3.5, 5, 20, 50, 210 ltr



HYPE

Hype fully synthetic 10w40 with Fluid TITANIUM Technology, is strongest oil and the natural choice for drivers who want the best combination of sludge protection, wear protection and maximum engine performance. Unlock maximum performance with every drive.

Pack size:- 3.5, 5, 20, 50, 210 ltr



MOTO RACE

Moto race 5W-30 is an advanced full synthetic engine oil designed to keep your engine running like new by providing exceptional wear protection, cleaning power and overall performance. 5W-30 meets or exceeds the requirements of the industry's toughest standards and outperforms our conventional oils. technology comes as standard equipment in many different vehicles, including select high-performance vehicles.

Pack size:- 3.5, 5, 20, 50, 210 ltr



SUPER

Super 10W-30 is made with a proprietary blend of ultra high performance synthetic basestocks fortified with the most advanced additive system available today. 10W-30 is uniquely designed providing unsurpassed levels of extended performance, cleaning power and the highest levels of engine protection.

Pack size:- 3.5, 5, 20, 50, 210 ltr



LEADER

Leader 15W50 is a semi synthetic blend premium performance, non-friction modified, shear stable, motor cycle Engine oil specially formulated for new generation four stroke motor cycles for longer clutch life by preventing clutch slippage at start up and varying speed.

Pack size:- 2.5, 20, 50, 210 ltr

BUS, CAR, TRUCK OTHER HEAVY VEHICLE



BOLT

Bolt 15W-40-CH4 is a high performance semi synthetic blend engine oil made especially for vehicles fueled with Ultra Low Sulfur Diesel (ULSD) and require the use of Low Ash engine oils, to protect the installed emissions equipment, including DPFs, catalytic converters, EGR and SCR injection. This oil offers excellent performance to maximize component life, extend drain intervals and improve fuel performance.

Pack size:-500ml,1, 3, 3.5, 5, 7.5, 10, 15, 20, 50, 210 ltr



EXPRESS

Express 15W40-CI-4 diesel engine oil is a superior quality shear stable multigrade premium performance crank case oil which provides excellent protection to high performance modern engines used in the toughest on and off highway equipment. It assures outstanding protection against high temperature piston deposits, oil degradation and oil thickening.

Pack size:-500ml,1, 3, 3.5, 5, 7.5, 10, 15, 20, 50, 210 ltr



CHARGE

Charge 20W40 is a high performance premium quality engine oil. It is formulated using high quality paraffinic base oils with selected premium quality additives to take care of all types of turbo-charged, naturally aspirated diesel and gasoline engines.

Pack size:-500ml,1, 3, 3.5, 5, 7.5, 10, 15, 20, 50, 210 ltr



ACTIVE

Active 20W50 is a new generation high performance semi synthetic Blend gasoline engine oil for modern passenger cars It provides good protection against oxidation, wear and corrosion under high temperature operation. Also it provides not only good cold starting but also high resistance to sludge formation.

Pack size:-500ml,1, 3, 3.5, 5, 20, 50, 210 ltr



KISAN

Kisan Tractor Oil 20w40 Multigrade Diesel engine oils are high performance, shear-stable, thermal stable new generation oils specially formulated for Tractors & mixed fleet working under severe service conditions. Recommended for use in all types of tractors and fleets with both light and heavy-duty engines where multigrade oil is preferred.

Pack size:- 7.5, 20, 50, 210 ltr



UTTO

utto oil is exclusively designed for multifunctional Agricultural Tractor's transmission, Differential & final drive, Wet multiple disc brake and hydraulic System. It also functions as a power brake, power steering, power take off and implement drive fluid with sufficient friction and heat transfer characteristics to facilitate the efficiency operation of Tractor wet brakes and power take off units

Pack size:-5, 7.5, 10, 20, 50, 210 ltr

HYDRAULIC OIL



HYDRAULIC - 68-46-32

Hydraulic oils are high quality hydraulic oils, designed to meet the requirements of normal hydraulic & circulating systems. These Series oils are formulated with high quality solvent refined mineral oils and synergistic additives for imparting anti-wear, anti-corrosion, oxidation inhibition and anti-foam properties. Recommended for all types of general mobile hydraulic equipment in control and power transmission systems

Pack size:- 1, 5, 20, 50, 210 ltr

SPECIAL LUBRICANT



POWER STEERING OIL

TQ serves as a power transmission fluid in the torque converter, hydraulic fluid in the control and servo systems, as a lubricant for bearings & gears and as a friction -controlling for bands and clutches. Recommended for automatic transmissions, power steering and other hydraulic system. It is having effective frictional characteristics for smooth shifting, reduced foaming and fluid loss under severe service conditions

Pack size:-500ml, 1, 5, 10 Ltr



COOLANT

Coolant is used to remove heat produced by the engine and transfer it into the cooling system. The coolant receives the heat and circulates it through the radiator, dissipating it back into the atmosphere. A thermostat is used to regulate the temperature of the coolant during the circulation.

Pack size:-1, 3, 5 ltr



BRAKE OIL DOT 3/4

BRAKE FLUID DOT 3/4 is a superior quality synthetic fluid meant for the hydraulic brakes of automobiles. It's meets US Dept of Transportation's stringent specification DOT 3/4. Recommended for all automobiles having hydraulic brakes.

Pack size:-100ml,250ml,500ml



FRONT FORK OIL

Shock absorber oil has excellent damping effect, chemical stability, oxidation stability and seal compatibility. Due to low pour point, it can be used round the year in extreme weather.

Pack size:-175ml, 350ml

GEAR OIL



EP-90 GEAR OIL

EP 90 gear oil is formulated for use in a wide range of gear units with normal, bevel and helical gear designs, including synchromesh manual gearboxes, transmissions and axles under moderately severe load and pressure conditions. These oils meet the requirements of several automotive manufacturers for cars, vans and commercial vehicles and hence recommended for cars, trucks, buses and off highway equipment.

Pack size:- 500ML, 1, 5, 10, 20, 50, 210 ltr



EP-220 GEAR OIL

BRUST 4t It is formulated from high quality of Base oils doped with additives which provides high level of oxidation & thermal stability. It protects the engine from high temperature wear & also from rust & corrosion.

Pack size:- 20, 50, 210 ltr



GEARXSOL EP 320

BRUST 4t It is formulated from high quality of Base oils doped with additives which provides high level of oxidation & thermal stability. It protects the engine from high temperature wear & also from rust & corrosion.

Pack size:- 20, 50, 210 ltr



CHASE EP-140

EP 140 is a specially formulated for use in a wide range of gears which includes synchromesh manual gears, transmissions and axles working under moderate to severe load and pressure conditions. It is designed to match all type of gear applications for both old or new generation vehicle types including spiral, bevel or worm gear transmission system where API GL4 gear oil is recommended.

Pack size:- 1, 5, 20, 50, 210 ltr

CNG OIL



2T

ECO 4 oil is blended from premium quality base stocks and most advance additives to take care of extra heat generated during combustion of gas in the engines. It is a dedicated engine oil formulated for vehicle operating on Natural gas, LPG and dual fuels.

PACK SIZE:-500ML, 1, 20, 50, 210 LTR.



SUPER LAL GHODA

SUPER 20W40 is a superior general purpose multi grade crank case oil developed having high detergency and oxidation stability properties to meet the general performance requirements of gasoline and naturally aspirated diesel engines.

PACK SIZE:-500ML, 1, 20, 50, 210 LTR.



PUMP SET

(Pump set oil) is a superior quality agricultural diesel pump set oil SAE 20W40 specially developed to meet the severe performance requirements of pump sets and other small stationary diesel engines for industrial use. Recommended for use where multi grade oil is preferred for a wide range of diesel pump sets where maximum protection is required in all climate service conditions

PACK SIZE:- 3, 3.5, 20, 50, 210 LTR.

INDUSTRIAL & AUTOMOTIVE GREASE



MP-3 GREASE

Mp3 is a premium quality lithium soap base grease and is recommended for variety of greasing applications in automotive, agriculture, construction and industrial application. It is recommended for lubrication of wheel bearing, chassis, nipple steering linkages, universal joints etc. The grease provides maximum protection by adhering well to the lubricated bearing surfaces sealing them from dirt and abrasive contaminants.

Pack Size:- 500gm,1, 5,18,180kg.



RED GEL GREASE

Red is a long life lithium Red colour gel grease formulated with a specially designed soap system, high viscosity index base oil and carefully balanced additives for lubrication under moderate to heavy loads and intermittent high temperatures. The soap in the grease helps in retaining its structure even under severe service condition and high loads, thereby extends component life through extension of re-lubrication interval.

Pack Size:- 500gm,1, 5,18,180kg.



EP-2 GREASE

Extreme pressure (EP) greases are multi functional extreme pressure lithium soap greases manufactured from high viscosity index base oils and fortified with carefully selected extreme pressure additives for high load bearing capacity. They are recommended for gearboxes, heavily loaded anti-friction and plain bearing on industrial and automotive equipment.

Pack Size:- 500gm,1, 5,18,180kg.



AP-3 GREASE

Ap3 GREASE is a premium quality all purpose automotive grease. Recommended for all types of Wheel bearings used in automobile Heavy duty, Light commercial, Passenger vehicles. Excellent thermal and oxidation stability. Resistance to water wash out. Superior protection against rusting & corrosion

Pack Size:- 500gm,1, 5,18,180kg.

INDUSTRIAL OIL

GEAR OIL - 150

GEAR OIL - 220

GEAR OIL - 320

HYDRAULIC - 100

LOOMS OIL

WATER SOLUBLE CU

STATE CU

TRANSMISSION OIL

SPINDLE OIL

THERMIC OIL

**CNC LUBRICANT
WAY - 68**

GRINDING OIL

RPO

CONNING OIL

FURNACE OIL

WARPING OIL

LAB TESTED



Through years of experience, research and development, Oilman Lubricants has developed an extensive portfolio of individual lubricants, each designed to address the specific challenge of achieving optimum performance in the relevant application.



OILMAN Lubricant is a brand known for its commitment and excellence in technology, manufacturing and marketing of high performance including manufacturing industries, metal working, power industries, heavy lubricants, greases and specialty oils for many different market segments, transportation, automotive workshops and many more.





OILMAN LUBRICANT

**87, Darshan Ind, Bardoli Highway,
Jolwa, Gujarat.**



Customer Care: 8460300066

Email: oilmanlubricants@gmail.com

Web: www.oilmanindia.com